

Size Dimension: 288 x 134mm

Warning:
This product may be harmful if swallowed.

Precautions:
Do not take or drink alcohol 24 hours before handling, during application and up to 48 hours after handling or application. Store in original container tightly closed away from food and feedstuffs. While mixing or applying, wear protective clothing, particularly gloves. Avoid skin contact and inhalation of spray mist or dust. Wash hands or exposed skin before eating and after work. Dispose of empty with the chemical or empty container.

BABALA: Huwag uminom ng alak at iba pang nakakalasing na inumin dalawampu't apat na oras bago gamitin, habang nag-iisprey at apatnapu't walong oras pagkatapos mag-sprey ng produktong ito. Itago sa orihinal na lalagyan na nakasarang mahigpit at malayo sa pagkain ng tao o hayop. Magsuot ng damit pananggalang at gwantes habang naghahalo o nag-iisprey. Iwasang malagyan ang balat o malanghap ang lason. Hugasanag mabuti ng sabon at tubig ang balat, kamay, braso at mukha bago kumain at pagkatapos mag-iisprey. Iwasang mapunta ang lason o lalagyan nito sa lugar ng inuming tubig.

Signs and Symptoms of Poisoning:
May cause eye and skin irritation or allergic skin reaction. Vapor can irritate nose and throat. If ingested, the substance can cause upper gastrointestinal irritation (and even perforation), stupor, dizziness, fever and drowsiness.

First Aid:
If swallowed, if patient is conscious, give 1-2 glasses of water. Do not induce vomiting. May do careful gastric lavage if feasible. If inhaled, remove from contaminated area and bring patient to fresh air. Skin contact, remove contaminated clothing and wash affected areas with plain soap and water. Eye contamination, flush eyes with clean running water for at least 15 minutes. GET MEDICAL ATTENTION IMMEDIATELY.

Note to Physicians:
Give symptomatic and supportive treatment. Provide oxygen if the affected person is unconscious. If swallowed, give activated charcoal slurry to be followed with sodium sulfate. However, if signs and symptoms of upper gastrointestinal irritation (inability or painful swallowing, oral burns, abdominal pain, etc.) are present, maintain on N.P.O and manage as a caustic ingestion aside from other toxic effects.

National Poison Control Center, UPPGH Tel: (02) 8 524-1078
Davao Medical Center, Davao City Tel:
(082) 227-2731 or (082) 226-4097

Lot/Batch No. :
Date of Expiry :
Date of Manufacture :

KEEP OUT OF REACH OF CHILDREN

BUTACHLOR + PROPANIL GROUP 15+5 HERBICIDE



KEN-STAR GOLD 700 EC

Active Ingredients : Butachlor..... 350 g/L
: Propanil..... 350 g/L
Inert Ingredients : Solvent & Emulsifier..... 300 g/L

Early post-emergence herbicide for excellent control of annual grasses, sedges, and broadleaves in transplanted, direct-seeded and dryland upland rice.

Net Weight:
1 Litre

FPA Registration No: 780-238-7198

Registered with the Fertilizer and Pesticide Authority Pursuant P.D 1144

Imported and Distributed by : Kenso Philippines Inc.
9F Filinvest One Building, Northgate Cyberzone, Alabang-Zapote Road Corner Northgate Avenue, Filinvest City, Alabang, Muntinlupa 1781, Philippines.

Directions for Use
1.Ensure thorough preparation and leveling of land for proper water management.
2.To drain excess water, prepare parallel canals in the paddy field at every 4-5 meters.
3.Measure area of individual paddy to determine the exact amount of herbicide to apply.

Cultural Method	Recommended Rate (Tbsp/16L Water)	Method and Timing of Application
Direct-Seeded Rice	8-12	Evenly spray KEN-STAR GOLD 700 EC on saturated soil 6-8 days after seeding. Flush the paddy field with water 1-3 days after application but do not submerge the rice seedlings
Transplanted Rice	8-12	Evenly spray KEN-STAR GOLD 700 EC on saturated soil 3-6 days after transplanting. Flood the paddy field with water 2-5 cm. Deep, 1-3 days after application.

1Tbsp = 10mL
Recommended application volume per hectare = 200 Litres

Re-Entry Period :
As soon as the spray mist dries up.

Storage and Disposal :
Store in a cool, dry place protected from sunlight, moisture and rain. Store in original container. Store away from any heat source and ignition point. Do not store near seeds, food and other foodstuff. Do not re-use container. Triple rinse the empty container before disposal. Burying or burning of empty containers are prohibited. Empty containers shall be brought to a DENR-EMB accredited facility for disposal and destruction.

Resistance Management Statement :
Always use products at the recommended label rates and spray intervals with the appropriate application equipment. Rotations of different HERBICIDE GROUP or Mode of Actions acts against rapid selection of resistant populations.

Prohibition and Warranty :
"It is a violation on FPA rules and regulations to use this product in a manner inconsistent with its label. No warranty of any kind, expressed or implied is made concerning the use of this product. Users assumes all risk and liability resulting from handling, use or application."

