

Size: 238 mm x 100 mm

PRECAUTIONS: Store in original container, tightly closed away from foods and feedstuffs. Do not smoke, eat, or drink while handling the product. Avoid inhalation of spray mist and skin and eye contact with the product and diluted material. After work, thoroughly wash hands, face, and contaminated skin using plenty of soap and water. Avoid intake of alcoholic beverages within 24 hours after spraying. All spray equipment must be thoroughly cleaned with water after use. Bury empty containers. Avoid contamination of water supply with chemical or container.

BABALA: Itago sa orihinal na lalagan malayo sa pagkain ng tao o hayop. Huwag manigarilyo, kumain o uminom habang ginagamit ang produkto. Iwasang malanghap o malagyan ng kemikal ang mata at balat. Hugasang maigi ang lahat ng parte ng katawan na maaaring maapektuhan ng kemikal matapos gamitin ito. Huwag iinom ng inuming may alcohol sa loob ng 24 hours pagkatapos gamitin ang produkto. Hugasan din ang lahat ng kasangkapan na ginamit sa pagbobomba. Iwasan din na maapektuhan ng kemikal o ng sisidlan nito ang anumang pinagkukunan ng tubig.

SIGNS & SYMPTOMS OF POISONING:
No case of human poisoning is on record. Under laboratory conditions, non-specific poisoning symptoms were observed in rats.

FIRST AID: In case of poisoning, call a physician immediately. If swallowed: do not induce vomiting or do so only if there is a delay in obtaining medical treatment. If inhaled: remove patient from contaminated area and bring patient to fresh air. If breathing has stopped: apply artificial respiration. If on skin: remove contaminated clothing and wash affected areas with soap and water. In case of splashes in the eyes: flush eyes with clean water for at least 15 minutes. Get medical attention immediately.

NOTE TO PHYSICIAN:
No specific antidote is known. Give symptomatic and supportive treatment as needed.

ENVIRONMENT AND WILDLIFE:
Toxic to aquatic organisms. Do not contaminate water used for irrigation or domestic purposes or water areas such as flowing or stagnant waters, drainage systems, by dispersal of product wastes. Keep all livestock out of areas to be treated. Do not contaminate food or feed.

NATIONAL POISON MANAGEMENT AND CONTROL CENTER
Tel. No. (02) 8524-1078 / 587-2067

Lot/Batch No. :
Date of Expiry :
Date of Manufacture :

KEEP OUT OF REACH OF CHILDREN

DIFENOCONAZOLE + PROPICONAZOLE GROUP 3 + 3 FUNGICIDE



KENMURE 300 EC

Active Ingredient : Difenconazole150 g/L
Propiconazole150 g/L
Inert Ingredients : 700 g/L

Systemic foliar fungicide for the control of sheath blight disease in rice and rust, leaf blight, banded leaf and sheath blight and ear rot of corn.

Net Weight:
500 ml

FPA Registration No: 780-325-7286

Registered with the Fertilizer and Pesticide Authority Pursuant P.D 1144

Imported and Distributed by : Kenso Philippines Inc.

9F Filinvest One Building, Northgate Cyberzone, Alabang-Zapote Road Corner Northgate Avenue, Filinvest City, Alabang, Muntinlupa 1781, Philippines.

Directions for Use

Crops	Diseases	APPLICATION TABLE			
		mL Product	No. of Tanloads/Ha	mL product/16L	Tbsp / 16L
Rice	Sheath Blight	250-350	10	25 - 35	2.5 - 3.5
			12	21 - 29	2.0 - 3.0
			14	18 - 25	2.0 - 2.5
			16	16 - 22	1.5 - 2.0
Corn	Banded leaf, Sheath blight, Ear rot, Leaf blight, Rust	250-500	25	20	2

**1 Tbsp = 10 mL

FREQUENCY AND TIMING OF APPLICATION

Rice : Apply at 45 and 60 days after transplanting.
Corn : Apply at 14-day interval for a maximum of 4 applications starting at the onset of the disease.

PRE-HARVEST INTERVAL:

45 days in corn

COMPATIBILITY:

Tank-mix compatible with most commonly used pesticides.

STORAGE AND DISPOSAL: Store in a cool, dry place protected from sunlight, moisture and rain. Store in original container. Store away from any heat source and ignition point. Do not store near seeds, food and other foodstuff. Do not re-use container. Triple rinse the empty container before disposal. Burying or burning of empty containers is prohibited. Empty containers shall be brought to a DENR-EMB accredited facility for disposal and destruction.

RESISTANCE MANAGEMENT STATEMENT: Always use products at the recommended label rates and spray intervals with the appropriate application equipment. Rotations of different fungicide GROUP or Mode of Actions acts against rapid selection of resistant populations.

WARRANTY AND PROHIBITION: No warranty of any kind, expressed or implied, is made concerning the use of this product. User assumes all risks and liability resulting from handling, use or application.
"IT IS A VIOLATION OF FPA RULES AND REGULATION TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABEL"

